CF1R-PRF-01E


(Page 4 of 11)

CalCERTS inc.

Report Generated: 2023-07-18 20:19:14

Margin Percentage

7.34



CalCERTS inc.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Generated: 2023-07-18 20:19:14


Project Name: ADU Calculation Descriptio	n: ADU		ANCE COMPLIANC			20:18:55-07:00	CF1R-PRF-01 (Page 5 of 11		
HERS FEATURE SUMMAF	RY								
The following is a summa detail is provided in the l								gy performance for this comp	outer analysis. Additional
Verified HSPFVerified heat pumWall-mounted the	d R2								
BUILDING - FEATURES IN									
01	02	02					05	06	07
Project Name	Conditioned Flo	Conditioned Floor Area (ft ²) Number of		Number of Bedroo		Number of Zones		Number of Ventilation Cooling Systems	Number of Water Heating Systems
ADU	499						1	0	1
			HER	5 P	RO	1. / Th	DER		'
ZONE INFORMATION 01	02			04			05	06	07
Zone Name	Zone Type	ш	03			Avg. Ceiling Height		Water Heating System 1	Status
	-		AC System Name	Zone Floor Area (ft ²)		Avg.			
Conditioned	Conditioned	_ I	HVAC System 1	499	9		10	DHW System 2	New
OPAQUE SURFACES									
01	02	03		04		06		07	08
Name	Zone	Cons	struction	Azimuth	zimuth Orientati		Gross Area (ft ²	Window and Door Area (ft2)	Tilt (deg)
Front	Conditioned	R21	Wall 2x6	270	Front	t	289	68	90
Left	Conditioned	R21	R21 Wall 2x6		0 Lef		172.5	24	90
Back	Conditioned	R21	Wall 2x6	90	90 Back		289	16	90
Right	Conditioned	R21	Wall 2x6	180	180 Right		172.5	18	90

CA Building Energy Efficiency Standards - 2022 Residential Compliance

CalCERTS inc.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Generated: 2023-07-18 20:19:14




FENESTRATION /	DU ription: Al	NCE - RESIDENTIA	L PERFORMAN	ICE COMPLI	ANCE IVIE			tion Date	e/Time: 2023 : ADU-	3-07-18T20:	18:55-07:	00	CF1R-PRF (Page 7 o	
01	02	03	04	05	06	07	08	09	10	11	12	13	14	
Name	Туре	Surface	Orientation	Azimuth	Width (ft)	Height (ft)	Mult.	Area (ft ²)	U-factor	U-factor Source	SHG	C SHGC Source	Exterior Sha	
Skylight 1	Skylight	Cathedral Ceiling 1	Back	90			1	7.02	0.48	NFRC	0.27	7 NFRC		
OPAQUE DOORS									-					
01		02					03				04			
Name		Side of Building				Area (ft ²)					U-factor			
Front Dr		Front					20				0.2			
OPAQUE SURFACE	CONSTRU	CTIONS												
01 02		02	03					05 06 0			07	08		
Construction Name		Surface Type	Constructio	п Туре	Framing			Total Cav R-valu	Cont	Interior / Exterior Continuous R-value		Assembly Layers		
R21 Wall 2x6		Exterior Walls	Wood Frame	ed Wall	2x6 @ 16 in. O. C			R-21		None / None		Inside Finish: Gypsum Board Cavity / Frame: R-21 / 2x6 Sheathing / Insulation: Wood Siding/sheathing/decking Exterior Finish: 3 Coat Stucco		
R38 Cathedral Ceiling		Cathedral Ceilings	Wood Fra Ceilin _i		2x12 @ 24 in. O. (R-38	None	None / None		Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Radiant Barrier Cavity / Frame: R-38 / 2x12 Inside Finish: Gypsum Board		
			Wood Fra	med	2x8 @ 16 in. O. C		2	R-0	None	/ None	0.621	Roofing: Light Roof (Roof Deck: Siding/sheathi	Wood	

CalCERTS inc.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Report Generated: 2023-07-18 20:19:14



Report Version: 2022.0.000

Schema Version: rev 20220901

